	Application No.	Applicant(s)
Notice of Allowability	10/828,634	NELSON ET AL.
	Examiner	Art Unit
	Darren W. Gorman	3752
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. X This communication is responsive to <u>amendment filed October 20, 2005</u> .		
2. The allowed claim(s) is/are 1-10,12,13,16-25,27,28,30 and 34-38.		
Acknowledgment is made of a claim for foreign priority ur a) □ All b) □ Some* c) □ None of the:		·
 Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	
	Paper No./Mail Dat	te
Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	, <u> </u>	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statement	ent of Reasons for Allowance
•	9. 🔲 Other	

Application/Control Number: 10/828,634 Page 2

Art Unit: 3752

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Shane Coleman on October 28, 2005.

The application has been amended as follows:

- In claim 1, on line 15, --substantially-- has been inserted between "member by" and "the same"
- In claim 25, on line 8, "positioned" has been replaced by --stop being spaced--
- In claim 25, on line 8, --substantially-- has been inserted between "member by" and "the same"
- In claim 25, on line 9, "first" has been replaced by --second--
- Claims 32 and 33 have been canceled
- In claim 34, on line 5, --, the hand guard including a portion extending outward from the first member by a distance-- has been inserted between "grip" and ";"
- In claim 34, on line 12, --at a distance-- has been inserted between "positioned" and "relative"
- In claim 34, on line 12, "at a" has been replaced by --that is substantially the--
- In claim 34, on line 13, "distance as the hand guard" has been replaced by --as the distance of the portion of the hand guard relative to the first member--

Application/Control Number: 10/828,634 Page 3

Art Unit: 3752

• In claim 36, on line 1, "further comprising a" has been replaced by --wherein the--

• In claim 36, on line 2, "having" has been replaced by --has--

Allowable Subject Matter

2. Claims 1-10, 12, 13, 16-25, 27, 28, 30 and 34-38 are allowed.

3. The following is an examiner's statement of reasons for allowance: The prior art, alone or in combination, did not show or teach the piercing nozzle wherein the stop member is spaced from the first elongated member by substantially the same distance as the portion of the hand guard that is spaced from the first elongated member, as recited in claims 1, 6, 25 and 34.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Darren W. Gorman whose telephone number is 571-272-4901. The examiner can normally be reached on M-F 7:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Scherbel can be reached on 571-272-4919. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/828,634

Art Unit: 3752

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Darren W Gorman

Page 4

Examiner

Art Unit 3752

DNG 10/28/05

DWG

October 28, 2005

David A. Scherbel

Supervisory Patent Examiner Group 3700